



P.O. Box: 48577, **DUBAI**, U.A.E.

Tel: 04 267 8866, Fax: 04 267 8855

P.O. Box: 457, **SHARJAH**, U.A.E.

Tel: 06 565 8866, Fax: 06 565 6699

E-mail: [info@zulekha-hospitals.com](mailto:info@zulekha-hospitals.com) • Website: [www.zulekha-hospitals.com](http://www.zulekha-hospitals.com)

ص.ب. ٤٨٥٧٧، دبي، ا.ع.م.

هاتف: ٠٤ ٢٦٧ ٨٨٦٦، فاكس: ٠٤ ٢٦٧ ٨٨٥٥

ص.ب. ٤٥٧، الشارقة، ا.ع.م.

هاتف: ٠٦ ٥٦٥ ٨٨٦٦، فاكس: ٠٦ ٥٦٥ ٦٦٩٩

## PNEUMONIA



### About your Diagnosis:

Pneumonia is a term that refers to inflammation of the lung. Bacterial pneumonia means that inflammation is caused by a bacterial infection. Bacteria gain access to the lungs either through inhalation or via the bloodstream. Infections occur when the bacteria overwhelm the defense mechanisms. The following conditions may weaken your body's defense mechanisms and thus increase the risks for bacterial pneumonia:

- Old age
- Smoking
- Chronic alcohol use or misuse.
- Chronic lung disease
- Congestive heart failure
- Diabetes.
- Chronic kidney failure
- Human immunodeficiency virus (HIV) infection.
- Use of drugs that are designed to lower your body's immune system such as anticancer agents and prednisone.
- Recent viral respiratory tract infections.

Pneumonia can also occur in usually healthy individuals of all ages. There are many different types of bacteria that can cause pneumonia. Streptococcus and Mycoplasma are common causes for pneumonia on otherwise healthy individuals. Those with chronic illnesses can be affected by staphylococcus, Haemophilus, legionella and types of bacteria that are normally found in the intestinal tract. Bacteria normally found in the mouth can also cause pneumonia when they are accidentally inhaled into the lungs during seizures or coma.

Tests are performed to determine the cause and severity of pneumonia, including chest x rays and analyses of sputum and blood. Despite these tests, the responsible bacteria is often not identified. Your doctor will then consider the circumstances in which the pneumonia began and the severity of the illness to help guide treatment. Other conditions may cause pneumonia-like symptoms, including heart failure, blood clot to the lungs and cancer.

### Living with your diagnosis:

Pneumonia can range from a mild illness to a life threatening condition. Common symptoms are fever, cough, chest pain and shortness of breath. Phlegm may be yellow or green and contain blood. With some types of pneumonia, muscle aches, nausea/ vomiting, fatigue and weakness are prominent. Severe pneumonia is signaled by rapid breathing (greater than 30 breaths per minute), low blood pressure, temperature greater than 102<sup>0</sup> F, and

confusion. Complications of pneumonia include inflammation and infection of the pleura (the layer of cells lining the outside of the lung), lung abscess, spread of infection outside the lung (to the brain, joints, etc.) and lung failure therapy. More severely ill patients are hospitalized and receive several types of antibiotics when their condition stabilizes. Hospitalized patients may also receive supplemental oxygen and special respiratory care to help clear the phlegm. If there is fluid build up around the lung this will be sampled to look for infection. Mechanical ventilation in an intensive care unit used if the lungs are temporarily unable to take up oxygen and expel carbon dioxide. Duration of anti biotic therapy ranges from 7 to 10 days in most cases. Therapy for 14-21 days longer may be necessary for certain bacteria and in those individuals with other chronic medical disease.

### The Do's:

- Take your antibiotics exactly as prescribed. If you miss a dose, simply resume with the next dose and continue to take the pills as scheduled until they are gone.
- Use acetaminophen and aspirin (except in children) to help decrease fever and to treat pain.
- Drink plenty of fluids (6 to 8 glasses per day) and / or breathe moist air to help raise phlegm.
- Obtain a pneumococcal vaccine if you are older than 65 years or if you have any chronic illness. This vaccine is designed to improve your defense against streptococcus pneumoniae, which is one of the most common causes of pneumonia.
- Let your doctor know amount any allergic reactions to antibiotics that you have had.

### The Don'ts:

Home treatment of pneumonia with antibiotics should be avoided if the home environment is not stable and conducive to rest and recovery.

### When to Call Your Doctor:

- You suspect a pneumonia because of fever, green or yellow sputum production, increases shortness of breath or chest pain.
- Symptoms continue or worsen after 48 hours of antibiotic therapy.
- If you note dusky- colored skin, lips or fingernails.
- Nausea/ vomiting prevent you from taking your antibiotics exactly as prescribed.
- Dehydration develops because of vomiting and /or diarrhea.